



Proxy records of annual/decadal temperature- and hydroclimate variability from the Carpathian-Balkan Region for the past two millennia, a literature review

Alexandra Németh¹, István Gábor Hatvani¹, Margit Horoszné Gulyás², Zoltán Kern¹

1: Institute for Geological and Geochemical Research, Research Centre for Astronomy and Earth Sciences, MTA, Budapest, Hungary e-mails: nemethalexandra89@gmail.com, hatvaniig@gmail.com, kern@geochem.hu


2: Óbuda University, Alba Regia Technical Faculty, Institute of Geoinformatics, Székesfehérvár, Hungary horoszne.margit@amk.uni-obuda.hu

The motivation

A comprehensive collection of temperature- and moisture sensitive proxy records covering a significant part of the past 2000 years from the Carpathian-Balkan region where the original dataset provides at least semi-centennial time resolution. The long-term aim is to launch an initiative to collect all available proxy data in the area.

Outlook

This is an ongoing work and needs Your contribution. If you are aware records fullfil our selection criteria and you are willing to contribute them for this purpose please contact us



Büntgen, U., Brázdil, R., Frank, D.C., Esper, J. (2010) Three centuries of Slovakian drought dynamics. *Climate Dynamics* 35, 315–329.

Büntgen, U., Kyncl, T., Ginzler, C., Jacks DS., Esper, J., Tegel W., Heussner KU. Kyncl J. (2013) Filling the Eastern European gap in millennium-long temperature reconstructions. *Proceedings of the National Academy of Science* 110: 1773-1777.

Compo, et al.. (2011) The Twentieth Century Reanalysis Project. *Quarterly Journal of the Royal Meteorological Society*, 137, 1-28. DOI: 10.1002/qj.776

Čufar, K., De Luis, M., Eckstein, D. Kajfež-Bogataj, L. (2008) Reconstructing dry and wet summers in SE Slovenia from oak tree-ring series. *International Journal of Biometeorology* 52, 607-615. DOI:10.1007/s00484-008-0153-8

Kern Z.; Grynæus A.; Morgós A. (2009) Reconstructed precipitation for Southern Balkony Mountains (Transdanubia, Hungary) back to AD 1746 based on ring widths of oak trees. *Időjárás - Quarterly Journal of the Hungarian Meteorological Service* 113/4: 299-314.

Kiss, A., Wilson, R., Bariska I. (2011) An experimental 392-year documentary-based multi-proxy (vine and grain) reconstruction of May-July temperatures for Kőszeg, West-Hungary. *International Journal of Biometeorology* 55: 595-611. DOI 10.1007/s00484-010-0367-4

Levanič, T., Popa, I., Poljanšek, S., Nechita, C. (2013) A 323-year long reconstruction of drought for SW Romania based on black pine (*Pinus nigra*) tree-ring widths. *International Journal of Biometeorology*, 57(5), 703-714 DOI 10.1007/s00484-012-0596-9

Popa, I., Bouriaud, O. (2014) Reconstruction of summer temperatures in Eastern Carpathian Mountains (Rodna Mts, Romania) back to AD 1460 from tree-rings. *International Journal of Climatology*., 34: 871–880. DOI: 10.1002/joc.3730

Popa, I., Cheval, S. (2007) Early winter temperature reconstruction of Sinaia area (Romania) derived from tree-rings of silver fir (*Abies alba* Mill.). *Romanian Journal of Meteorology*, 9(1-2), 47-54.

Dona I, Kara Z (2000) Long-term summer temperature reconstruction informed from tree-ring records from the Eastern Carpathians. *Climato-Dynamica* 22: 1107-1117