

AUTHOR INDEX

| | | | |
|--|----------|---|---------------|
| Anda, A. (Keszthely, Hungary)..... | 243 | Lengyel, A. (Vácrátót, Hungary)..... | 257 |
| Baran, S. (Debrecen, Hungary) | 217 | Maróti, M. (Szeged, Hungary)..... | 257 |
| Bartholy, J. (Budapest, Hungary)..... | 119, 305 | Menyhárt, L. (Keszthely, Hungary)..... | 243 |
| Bátori, Z. (Szeged, Hungary) | 257 | Mesterházy, I. (Budapest, Hungary)..... | 193 |
| Bede-Fazekas, Á. (Budapest, Hungary) ... | 19, 41 | Mészáros, R. (Budapest, Hungary)..... | 193 |
| Bíró, A. (Szeged, Hungary)..... | 257 | Molnár, Á. (Veszprém, Hungary)..... | 207 |
| Bobvos, J. (Budapest, Hungary)..... | 19 | Molnár, M. (Gödöllő, Hungary) | 293 |
| Bozóki, Z. (Szeged, Hungary)..... | 323 | Molnár, S. (Gödöllő, Hungary)..... | 293 |
| Csábrági, A. (Gödöllő, Hungary) | 293 | Móring, A. (Budapest, Hungary)..... | 167 |
| Cseh, V. (Szeged, Hungary)..... | 257 | Nagy, Z. (Keszthely, Hungary)..... | 243 |
| Dézsi, V. (Budapest, Hungary) | 207 | Nemoda, D. (Debrecen, Hungary)..... | 217 |
| Erdős, L. (Szeged, Hungary) | 257 | Orvos, P.I. (Szeged, Hungary)..... | 323 |
| Franke, J. (Siegen, Germany)..... | 53 | Páldy, A. (Budapest, Hungary)..... | 19 |
| Gelencsér, A. (Veszprém, Hungary) | 207 | Péliné Németh, Cs. (Budapest, Hungary) | 119 |
| Haszpra, T. (Budapest, Hungary)..... | 335 | Pongrácz, R. (Budapest, Hungary)..... | 119, 193, 305 |
| Henek, E. (Krakow, Poland) | 133 | Potop, V. (Prague, Czech Republic) | 1 |
| Homonnai, V. (Székesfehérvár, Hungary) ... | 323 | Rákai, A. (Budapest, Hungary)..... | 53 |
| Horányi, A. (Budapest, Hungary) | 217, 335 | Soukup, J. (Prague, Czech Republic) | 1 |
| Horváth, László (Budapest, Hungary).... | 93, 167 | Štěpánek, P. (Brno, Czech Republic) | 1 |
| Horváth Levente (Budapest, Hungary)..... | 41 | Sz.G. Pató, B. (Veszprém, Hungary) | 283 |
| Imre, K. (Veszprém, Hungary)..... | 207 | Tölgyesi, Cs. (Szeged, Hungary) | 257 |
| Jánosi, I.M. (Székesfehérvár, Hungary) | 323 | Tóth, M. (Szeged, Hungary) | 257 |
| Kincses, Z. (Szeged, Hungary)..... | 257 | Trájer, A. (Veszprém, Hungary)..... | 19 |
| Kis, A. (Budapest, Hungary) | 305 | Türkott, L. (Prague, Czech Republic)..... | 1 |
| Kocsis, M. (Budapest, Hungary) | 41 | Unger, J. (Szeged, Hungary)..... | 147 |
| Körmöczi, L. (Szeged, Hungary) | 257 | Várai, A. (Budapest, Hungary) | 323 |
| Kovács, A. (Szeged, Hungary)..... | 147 | Varga, Z. (Mosonmagyaróvár, Hungary) | 79 |
| Kovács, K. (Budapest, Hungary)..... | 349 | Vécsei, P. (Budapest, Hungary)..... | 349 |
| Kovács, Z. (Veszprém, Hungary)..... | 283 | Weidinger, T. (Budapest, Hungary)..... | 93 |
| Kristóf, G. (Budapest, Hungary) | 53 | Wypych, A. (Krakow, Poland) | 133 |
| Kugler, Sz. (Budapest, Hungary) | 93 | Zahraniček, P. (Brno, Czech Republic) | 1 |

TABLE OF CONTENTS

| | | | |
|--|-----|--|-----|
| <i>Baran, S., Horányi, A., and Nemoda, D.:</i> Comparison of the BMA and EMOS statistical methods in calibrating temperature and wind speed forecast ensembles..... | 217 | islands: species preservation and conservation perspectives..... | 257 |
| <i>Bátori, Z., Lengyel, A., Maróti, M., Körmöczi, L., Tölgyesi, Cs., Bíró, A., Tóth, M., Kincses, Z., Cseh, V., and Erdős, L.:</i> Microclimate-vegetation relationships in natural habitat | | <i>Bede-Fazekas, Á., Horváth L., and Kocsis, M.:</i> Impact of climate change on the potential distribution of Mediterranean pines..... | 41 |
| | | <i>Haszpra, T. and Horányi, A.:</i> Some aspects of the impact of meteorological forecast uncertainties on environmental dispersion prediction..... | 335 |

| | | |
|--|-----|--|
| <i>Imre, K., Molnár, Á., Dézsi, V., and Gelencsér, A.: Positive bias caused by residual water in reference PM₁₀ measurements.....</i> | 207 | |
| <i>Kovács, A. and Unger, J.: A modification of Tourism Climatic Index to Central European climatic conditions – examples.....</i> | 147 | |
| <i>Kovács, Z. and Sz.G. Pató, B.: Impacts of Extreme Weather in Supply Chains</i> | 283 | |
| <i>Kugler, Sz., Horváth, L., and Weidinger, T.: Modeling dry flux of ammonia and nitric acid between the atmosphere and Lake Balaton</i> | 93 | |
| <i>Menyhárt, L., Anda, A., and Nagy, Z.: Effects of leveling error on the measurement of global radiation.....</i> | 243 | |
| <i>Mesterházy, I., Mészáros, R., and Pongrácz, R.: The Effects of Climate Change on Grape Production in Hungary.....</i> | 193 | |
| <i>Molnár, M., Molnár, S., and Csábrági, A.: Progress towards emission targets through the development of climate change policies and measures in Hungary.....</i> | 293 | |
| <i>Möring, A., and Horváth, L.: Long-term trend of deposition of atmospheric sulfur and nitrogen compounds in Hungary.....</i> | 167 | |
| <i>Orvos, P.I., Homonai, V., Várai, A., Bozóki, Z., and Jánosi, I.M.: Trend analysis of a new MODIS drought severity index with emphasis on the Carpathian Basin</i> | 323 | |
| <i>Péliné Németh, Cs., Bartholy, J., and Pongrácz, R.: Homogenization of Hungarian daily wind speed data series.</i> | 119 | |
| <i>Pongrácz, R., Bartholy, J., and Kis, A.: Estimation of future precipitation conditions for Hungary with special focus on dry periods</i> | 305 | |
| <i>Potop, V., Zahraníček, P., Türkott, L., Štěpánek, P., and Soukup, J.: Risk analysis of the first and last frost occurrences during growing season of vegetables in the Elbe River lowland ..</i> | 1 | |
| <i>Rákai, A., Kristóf, G., and Franke, J.: Sensitivity analysis of microscale obstacle resolving models for an idealized Central European city center, Michel-Stadt.....</i> | 53 | |
| <i>Trájer, A., Bede-Fazekas, Á., Bobvos, J., and Páldy, A.: Studying the seasonality of West Nile fever and modeling the geographical occurrence of West Nile fever and the distribution of Asian tiger mosquito</i> | 19 | |
| <i>Varga, Z.: Facts about the use of agrometeorological information in Hungary and suggestions for making that more efficient.....</i> | 79 | |
| <i>Vécsei, P. and Kovács, K.: Statistical analysis of relationships between road accidents involving personal injury and meteorological variables in Hungary</i> | 349 | |
| <i>Wypych, A., and Henek, E.: Spatial modeling of the climatic water balance index using GIS methods.....</i> | 133 | |

SUBJECT INDEX

A

| | |
|-------------------------|-----|
| absorbed residual water | 207 |
| acidic deposition | 167 |
| agrometeorological | |
| - information | 79 |

| | |
|-------------------------|---------|
| - research | 79 |
| agrometeorology | 79 |
| air quality model | 53 |
| ALADIN-Climate/CZ model | 1 |
| ammonia | 93, 167 |

| | |
|------------------------------------|---|
| analysis | |
| - discriminant | 349 |
| - linear trend | 323 |
| - main component | 349 |
| - risk | 1, 19 |
| - sensitivity | 53 |
| - spatial | 133 |
| - strategic planning | 79 |
| - SWOT | 79 |
| atmospheric concentration | |
| - dry aerosol mass | 207 |
| - oxidized nitrogen species | 167 |
| B | |
| Bayesian model averaging | 217 |
| bias correction | 305 |
| C | |
| Carpathian Basin | 323 |
| Central Europe | 147 |
| climate change | 1, 19, 41, 79, 147, 193, 257, 283, 305, 293 |
| climate change | |
| - measures | 293 |
| - policy | 293 |
| climate conditions | 147, 257, 305 |
| climate model | |
| - ALADIN-Climate/CZ | 1 |
| - CZGRIDS | 1 |
| - envelope model | 19, 41 |
| - regional | 193, 305 |
| climate variation | 349 |
| climatic index | |
| - precipitation | 305 |
| - tourism | 147 |
| - water balance | 133 |
| cold-resistant vegetables | 1 |
| compensation-point model | 93 |
| computational fluid dynamics (CFD) | 53 |
| Czech Republic | 1 |
| D | |
| decision making | 79, 283 |
| deposition | |
| - acidic | 167 |
| - atmospheric sulfur | 167 |
| - nitrogen compounds | 93, 167 |
| disaster management | 283 |
| diseases, | |
| - Chikungunya | 19 |
| - vector-borne | 19 |
| - West Nile fever | 19 |
| dispersion modeling | 335 |
| dry aerosol mass concentration | 207 |
| dry period | 305 |
| E | |
| Elbe River lowland | 1 |
| emission | 167, 207 |
| emission | |
| - reduction | 167, 293 |
| - targets | 293 |
| ensemble | |
| - calibration | 217 |
| - meteorological forecast | 335 |
| - model output statistics | 217 |
| ENSEMBLES project | 305 |
| eutrophication | 93 |
| extreme weather | 283 |
| F | |
| FLake model | 93 |
| fluid dynamics | 53 |
| frost | |
| - late spring | 1 |
| - early fall | 1 |
| frost-free period | 1 |
| frost-resistant vegetables | 1 |
| flux | |
| - ammonia | 93 |
| - nitric-acid | 93 |
| forecast uncertainties | 335 |
| G | |
| Germany | 53 |
| GIS method | 133 |
| global irradiance | 243 |
| global radiation | 243 |

| | | | |
|---------------------------------|--|--|---------|
| grape production | 193 | map algebra | 133 |
| growing season | 1 | mapping, high resolution | 323 |
| H | | MASH method | 119 |
| habitat island | 257 | measurement automation | 119 |
| high resolution mapping | 323 | mediterranean pines | 41 |
| homogenization | 119 | methods | |
| humidity | | - BMA and EMOS | 217 |
| - low relative | 207 | - decision-making | 79, 283 |
| - microclimatic conditions | 257 | - disaster management in supply chains | 283 |
| Hungarian | | - GIS | 133 |
| - wind climate | 119 | - MASH | 119 |
| - wine regions | 193 | mesh, polyhedral | 53 |
| Hungary | 19, 41, 53, 79, 93, 119, 147, 167, 193, 207, 217, 243, 257, 283, 305, 293, 335, 323, 349 | microclimatic | |
| - conditions | | - conditions | 257 |
| - measurements | | - measurements | 257 |
| micrometeorology | | micrometeorology | 53, 93 |
| microscale meteorological model | | microscale meteorological model | 53 |
| mitigation scenario | | mitigation scenario | 293 |
| model | | model | |
| - ALADIN | | - ALADIN | 193 |
| - ALADIN-Climate/CZ | | - ALADIN-Climate/CZ | 1 |
| - climate envelope | | - climate envelope | 19, 41 |
| - compensation point | | - compensation point | 93 |
| - Lagrangian dispersion | | - Lagrangian dispersion | 335 |
| - microscale air quality | | - microscale air quality | 53 |
| - obstacle resolving | | - obstacle resolving | 53 |
| - PRECIS | | - PRECIS | 193 |
| - RegCM | | - RegCM | 193 |
| - regional climate | | - regional climate | 305 |
| - regression | | - regression | 133 |
| - RePLat | | - RePLat | 335 |
| - resistance | | - resistance | 93 |
| model | | model | |
| - Bayesian averaging | | - Bayesian averaging | 217 |
| - ensemble | | - ensemble | 217 |
| - output statistics | | - output statistics | 217 |
| modeling | | modeling | |
| - distribution | | - distribution | 19, 41 |
| - dry flux of N-gases | | - dry flux of N-gases | 93 |
| MODIS satellite | | MODIS satellite | 323 |
| Monin-Obukhov theory | | Monin-Obukhov theory | 93 |
| mosquitoes | | mosquitoes | 19 |
| multivariate regression | | multivariate regression | 349 |
| I | | | |
| index | | | |
| - climatic water balance | 133 | | |
| - drought severity | 323 | | |
| - precipitation | 305 | | |
| - tourism climatic | 147 | | |
| irradiance, global | 243 | | |
| K | | | |
| Kyoto Protocol | 293 | | |
| L | | | |
| Lake Balaton | 93 | | |
| leveling | | | |
| - error | 243 | | |
| - of pyranometer | 243 | | |
| linear trend analysis | 323 | | |
| long-term series | 119, 167, 193 | | |
| M | | | |
| main component analysis | 349 | | |

| | | | |
|--|-----|----------------------------------|-------|
| N | | | |
| national reporting | 293 | risk analysis | 1, 19 |
| nitric-acid | 93 | river Elbe | 1 |
| nitrogen | | road accidents | 349 |
| - oxidized | 167 | | |
| - reduced | 167 | | |
| O | | S | |
| obstacle resolving model | 53 | satellite, MODIS | 323 |
| OpenFOAM® | 53 | scenario | |
| | | - climate change | 305 |
| | | - mitigation | 293 |
| | | series, long time | 119 |
| | | significance test | 323 |
| | | spatial analysis | 133 |
| | | species preservation | 257 |
| | | strategic planning | 79 |
| | | statistical significance test | 323 |
| | | sulfur, oxidized | 167 |
| | | supply chains | 283 |
| | | SWOT analysis | 79 |
| P | | | |
| personal injury, in road accidents | 349 | T | |
| pines (<i>Pinus brutia</i> , <i>P. halepensis</i> , <i>P. pinaster</i> , <i>P. pinea</i>) | 41 | temperature | |
| PM ₁₀ , urban | 207 | - effective | 147 |
| Poland | 133 | - forecast ensembles | 217 |
| policy, climate change | 293 | - microclimatic conditions | 257 |
| polyhedral mesh | 53 | - physiologically equivalent | 147 |
| precipitation index | 305 | thermophilic | 1 |
| pyranometer | 243 | tilt | |
| | | - detection of | 243 |
| | | - error | 243 |
| R | | tourism | 147 |
| radiation, global | 243 | tourism climatic index, modified | 147 |
| realistic particles | 335 | trend analysis, linear | 323 |
| reduction of emission | 167 | | |
| refugium | 257 | | |
| regional climate change | 193 | | |
| regression | | | |
| - model | 133 | | |
| - multivariate | 349 | | |
| relative humidity | 207 | | |
| remote sensing | 323 | | |
| RePLaT lagrangian | | | |
| dispersion model | 335 | | |
| reporting, National | | | |
| Communication | 293 | UNFCCC | 293 |
| residual water, absorbed | 207 | urban | |
| resistance model | 93 | - flow | 53 |
| return period | 305 | - PM ₁₀ | 207 |

V

| | |
|-----------------------|-----|
| vector-borne diseases | 19 |
| vegetables, | |
| - cold-resistant | 1 |
| - frost-resistant | 1 |
| vegetation | |
| - inversion | 257 |
| - microclimate | 257 |
| Vietnam | 53 |
| Vinis vinifera | 193 |

W

| | |
|-------------------------------|-----|
| water balance index, climatic | 133 |
| wind | |
| - climate, Hungary | 119 |
| - data | 119 |
| - speed | 119 |
| - speed forecast ensembles | 217 |
| wine regions, Hungary | 193 |
| wireless sensor | 257 |